Application No. 10/748,649
Response dated February 23, 2007
Reply to Office Action of December 15, 2006

## <u>Listing of Pending Claims:</u>

A listing of pending claims is provided for the Examiner's convenience. No claim amendments are being made at this time.

## **Listing of Claims:**

- 1. (Previously presented) A product comprising:
  - a single ply web comprising cellulosic fibers having a first and a second opposing sides;
  - a chemical additive having a viscosity between about 1,000 cps to about 50,000 cps applied to either the first or second opposing side;

the single ply web wound into a roll;

the roll having a roll bulk about 10 cc/g or greater; and

the first or second opposing side with the applied chemical additive having a Fuzz-On-Edge about 1.8 mm/mm or greater.

- (Withdrawn/Previously presented) A product comprising:
  - an uncreped throughdried single ply tissue web comprising cellulosic fibers having a first and a second opposing sides;
  - a chemical additive having a viscosity between about 1,000 cps to about 50,000 cps applied to either the first or second opposing side;

the tissue web wound into a roll;

the roll having a roll bulk about 10 cc/g or greater; and

the first or second opposing side with the applied chemical additive having a Fuzz-On-Edge about 2.0 mm/mm or greater.

3. (Original) The product of claim 1 or 2 wherein the roll bulk is about 11 cc/g or greater.

Application No. 10/748,649
Response dated February 23, 2007
Reply to Office Action of December 15, 2006

- 4. (Original) The product of claim 1 or 2 wherein the roll bulk is between about 10 cc/g to about 16 cc/g.
- 5. (Original) The product of claim 1 or 2 wherein the roll bulk is between about 11 cc/g to about 16 cc/g.
- 6. (Original) The product of claim 1 or 2 wherein the Fuzz-On Edge is about 2.4 mm/mm or greater.
- 7. (Original) The product of claim 1 or 2 wherein the Fuzz-On Edge is about 2.8 mm/mm or greater.
- 8. (Original) The product of claim 1 or 2 wherein the Fuzz-On Edge is between about 2.0 mm/mm to about 3.0 mm/mm.
- 9. (Original) The product of claim 1 or 2 wherein the web comprises a bath tissue web.
- 10. (Original) The product of claim 1 or 2 wherein the chemical additive is applied to both the first and the second opposing sides.
- 11. (Original) The product of claim 5 wherein the Fuzz-On Edge is between about 2.0 mm/mm to about 3.0 mm/mm.
- 12. (Original) The product of claim 5 wherein the Fuzz-On Edge is between about 2.2 mm/mm to about 2.9 mm/mm.
- 13. (Original) The product of claim 1 or 2 wherein the chemical additive comprises polysiloxane.
- 14. (Original) The product of claim 1 or 2 wherein the Kershaw firmness is between about 12 mm to about 0 mm.
- 15. (Original) The product of claim 1 or 2 wherein the CD Kawabata Bending Stiffness is about 0.06 or less.

Application No. 10/748,649
Response dated February 23, 2007
Reply to Office Action of December 15, 2006

- 16. (Original) The product of claim 11 wherein the CD Kawabata Bending Stiffness is about 0.04 or less.
- 17. (Original) The product of claim 1, 2, 5, 10, 11, 13, 14, 15, or 16 wherein the first or second opposing side with the applied chemical contains a plurality of fuzzy fibers generated by a shear calendering device and the chemical additive is applied as a plurality of chemical filaments.
- 18. 21. (Canceled)
- 22. (Previously presented) The product of claim 1 or 2 wherein the chemical additive has a viscosity of between about 1,500 cps to about 10,000 cps.
- 23. (Previously presented) The product of claim 1 or 2 wherein the chemical additive on the first or second opposing side comprises a plurality of filaments forming a network.